

TABLE OF CONTENTS

		<u>Page</u>
1.	INTRODUCTION	1
1.1	Terms of Reference.....	1
1.2	Organization of the Feasibility Study Technical Report.....	1
2.	BACKGROUND	3
2.1	General.....	3
2.2	Site Location and Layout	3
2.3	Site Environmental Data.....	4
2.3.1	Surface Water	4
2.3.2	Site Geology	4
2.3.3	Site Hydrogeology	5
2.3.4	CKD Effects on Groundwater.....	6
2.4	Site Regulatory History.....	8
2.5	Previous Site Remedial Actions	11
2.5.1	General.....	11
2.5.2	Source Control	12
2.5.3	Downgradient Controls - Deck Extension	12
2.5.4	Pilot Test - In Situ Groundwater Treatment Wall.....	12
2.5.5	Performance Evaluation.....	13
2.6	Feasibility Study Technical Memorandum	13
3.	REGULATORY FRAMEWORK FOR ADDITIONAL REMEDY ALTERNATIVE SELECTION	15
3.1	Introduction.....	15
3.2	Remedy Selection under MTCA.....	15
3.2.1	General.....	15
3.2.2	Threshold Requirements	16
3.2.2.1	Introduction	16
3.2.2.2	Protect Human Health and the Environment.....	16
3.2.2.3	Cleanup Standards.....	16
3.2.2.4	Cleanup Levels	17
3.2.2.5	Point of Compliance.....	19
3.2.2.6	Applicable Federal and State Laws - ARARs	20

TABLE OF CONTENTS (continued)

	<u>Page</u>
3.2.2.7 Compliance Monitoring	22
3.2.3 Other Requirements	23
3.2.3.1 Introduction	23
3.2.3.2 Permanent Solutions to the Maximum Extent Practicable	23
3.2.4 Groundwater Cleanup Requirements	29
 4. EVALUATION OF ADDITIONAL GROUNDWATER SITE REMEDY ALTERNATIVES	 31
4.1 General	31
4.2 Common Components	32
4.2.1 General	32
4.2.2 Institutional Controls	32
4.2.3 Compliance Monitoring	33
4.3 Permeable Treatment Wall (PTW)	34
4.3.1 PTW-Alternative Description	34
4.3.1.1 General	34
4.3.1.2 System Description	34
4.3.1.3 System Performance	35
4.3.1.4 Construction Schedule	37
4.3.2 PTW-Protect Human Health and the Environment	37
4.3.3 PTW-Comply With Cleanup Standards	38
4.3.4 PTW-Comply With Applicable Federal and State Laws	38
4.3.5 PTW-Provide for Compliance Monitoring	38
4.3.6 PTW-Use Permanent Solution to the Maximum Extent Practical	39
4.3.6.1 Introduction	39
4.3.6.2 PTW-Protectiveness	39
4.3.6.3 PTW-Permanence	39
4.3.6.4 PTW-Cost	40
4.3.6.5 PTW-Effectiveness Over the Long Term	40
4.3.6.6 PTW-Management of Short-Term Risks	40
4.3.6.7 PTW-Technical and Administrative Implementability	41
4.3.6.8 PTW-Consideration of Public Concerns	42

TABLE OF CONTENTS (continued)

	<u>Page</u>
4.3.7	PTW-Provide a Reasonable Restoration Time Frame 42
4.3.8	PTW-Consider Public Concerns..... 43
4.3.9	PTW-Prevent Domestic Use of CKD-Affected Groundwater... 43
4.4	Groundwater Control (GWC)..... 43
4.4.1	GWC-Alternative Description 43
4.4.1.1	General 43
4.4.1.2	System Description..... 44
4.4.1.3	System Performance 46
4.4.1.4	Construction Schedule..... 47
4.4.2	GWC-Protect Human Health and the Environment 47
4.4.3	GWC-Comply With Cleanup Standards..... 47
4.4.4	GWC-Comply With Applicable Federal and State Laws 48
4.4.5	GWC-Provide for Compliance Monitoring 48
4.4.6	GWC-Use Permanent Solution to the Maximum Extent Practical 48
4.4.6.1	Introduction 48
4.4.6.2	GWC-Protectiveness 48
4.4.6.3	GWC-Permanence 49
4.4.6.4	GWC-Cost..... 49
4.4.6.5	GWC-Effectiveness Over the Long Term 50
4.4.6.6	GWC-Management of Short-Term Risks..... 50
4.4.6.7	GWC-Technical and Administrative Implementability..... 50
4.4.6.8	GWC-Consideration of Public Concerns 51
4.4.7	GWC-Provide a Reasonable Restoration Time Frame 52
4.4.8	GWC-Consider Public Concerns..... 52
4.4.9	GWC-Prevent Domestic Use of CKD-Affected Groundwater... 52
4.5	Additional Source Control (ASC) 53
4.5.1	ASC-Alternative Description..... 53
4.5.1.1	General 53
4.5.1.2	System Description..... 53
4.5.1.3	System Performance 54
4.5.1.4	Construction Schedule..... 56
4.5.2	ASC-Protect Human Health and the Environment 57
4.5.3	ASC-Comply With Cleanup Standards 57

TABLE OF CONTENTS (continued)

	<u>Page</u>
4.5.4	ASC-Comply With Applicable Federal and State Laws..... 58
4.5.5	ASC-Provide for Compliance Monitoring..... 58
4.5.6	ASC-Use Permanent Solution to the Maximum Extent Practical 58
4.5.6.1	Introduction 58
4.5.6.2	ASC-Protectiveness..... 58
4.5.6.3	ASC-Permanence 59
4.5.6.4	ASC-Cost 60
4.5.6.5	ASC-Effectiveness Over the Long Term..... 60
4.5.6.6	ASC-Management of Short-Term Risks 61
4.5.6.7	ASC-Technical and Administrative Implementability..... 61
4.5.6.8	ASC-Consideration of Public Concerns..... 62
4.5.7	ASC-Provide a Reasonable Restoration Time Frame..... 63
4.5.8	ASC-Consider Public Concerns 63
4.5.9	ASC-Prevent Domestic Use of CKD-Affected Groundwater 63
4.6	Partial Source Removal (PSR)..... 64
4.6.1	PSR-Alternative Description 64
4.6.1.1	General 64
4.6.1.2	System Description..... 66
4.6.1.3	System Performance..... 68
4.6.1.4	Construction Schedule..... 70
4.6.2	PSR-Protect Human Health and the Environment..... 70
4.6.3	PSR-Comply With Cleanup Standards..... 71
4.6.4	PSR-Comply With Applicable Federal and State Laws 71
4.6.5	PSR-Provide for Compliance Monitoring 71
4.6.6	PSR-Use Permanent Solution to the Maximum Extent Practical 72
4.6.6.1	Introduction 72
4.6.6.2	PSR-Protectiveness 72
4.6.6.3	PSR-Permanence 72
4.6.6.4	PSR-Cost 73
4.6.6.5	PSR-Effectiveness Over the Long Term 74
4.6.6.6	PSR-Management of Short-Term Risks..... 74

TABLE OF CONTENTS (continued)

	<u>Page</u>
4.6.6.7 PSR-Technical and Administrative Implementability.....	75
4.6.6.8 PSR-Consideration Public Concerns.....	76
4.6.7 PSR-Provide a Reasonable Restoration Time Frame	77
4.6.8 PSR-Consider Public Concerns	78
4.6.9 PSR-Prevent Domestic use of CKD-Affected Groundwater	78
4.7 Funnel and Gate Treatment (FGT)	78
4.7.1 FGT-Alternative Description	78
4.7.1.1 General	78
4.7.1.2 System Description.....	79
4.7.1.3 System Performance.....	81
4.7.1.4 Construction Schedule.....	81
4.7.2 FGT-Protect Human Health and the Environment	82
4.7.3 FGT-Comply With Cleanup Standards.....	82
4.7.4 FGT-Comply With Applicable Federal and State Laws	83
4.7.5 FGT-Provide for Compliance Monitoring.....	83
4.7.6 FGT-Use Permanent Solution to the Maximum Extent Practical	83
4.7.6.1 Introduction	83
4.7.6.2 FGT-Protectiveness	83
4.7.6.3 FGT-Permanence.....	84
4.7.6.4 FGT-Cost.....	84
4.7.6.5 FGT-Effectiveness Over the Long Term.....	84
4.7.6.6 FGT-Management of Short-Term Risks	85
4.7.6.7 FGT-Technical and Administrative Implementability.....	85
4.7.6.8 FGT-Consideration of Public Concerns	86
4.7.7 FGT-Provide a Reasonable Restoration Time Frame.....	87
4.7.8 FGT-Consider Public Concerns.....	87
4.7.9 FGT-Prevent Domestic Use of CKD-Affected Groundwater.....	87
4.8 Partial Additional Source Control (PASC).....	87
4.8.1 PASC-Alternative Description	87
4.8.1.1 General	87
4.8.1.2 System Description.....	88
4.8.1.3 System Performance	89

TABLE OF CONTENTS (continued)

	<u>Page</u>
4.8.1.4 Construction Schedule.....	90
4.8.2 PASC-Protect Human Health and the Environment.....	91
4.8.3 PASC-Comply With Cleanup Standards	91
4.8.4 PASC-Comply With Applicable Federal and State Laws	91
4.8.5 PASC-Provide for Compliance Monitoring	92
4.8.6 PASC-Use Permanent Solution to the Maximum Extent Practical	92
4.8.6.1 Introduction	92
4.8.6.2 PASC-Protectiveness	92
4.8.6.3 PASC-Permanence	92
4.8.6.4 PASC-Cost	93
4.8.6.5 PASC-Effectiveness Over the Long Term	93
4.8.6.6 PASC-Management of Short-Term Risks.....	94
4.8.6.7 PASC-Technical and Administrative Implementability.....	94
4.8.6.8 PASC-Consideration of Public Concerns	95
4.8.7 PASC-Provide a Reasonable Restoration Time Frame	96
4.8.8 PASC-Consider Public Concerns	96
4.8.9 PASC-Prevent Domestic Use of CKD-Affected Groundwater ..	96
 5. COMPARATIVE ANALYSIS OF ALTERNATIVES	 97
5.1 Introduction.....	97
5.2 Threshold Requirements.....	97
5.3 Use Permanent Solution to the Maximum Extent Practical	98
5.3.1 Introduction.....	98
5.3.2 Protectiveness	98
5.3.3 Permanence.....	100
5.3.4 Cost.....	101
5.3.5 Effectiveness Over the Long Term	102
5.3.6 Management of Short-Term Risks.....	103
5.3.7 Technical and Administrative Implementability	103
5.3.8 Public Concerns.....	105
5.3.9 Disproportionate Cost Analysis Results	106
5.4 Provide a Reasonable Restoration Time Frame.....	108
5.5 Consider Public Concerns.....	108

TABLE OF CONTENTS (continued)

	<u>Page</u>
5.6 Prevent Domestic use of CKD-Affected Groundwater	109
5.7 Results of Comparative Analysis.....	109
6. CONCLUSIONS	111
6.1 Feasibility Study Conclusions.....	111
6.2 Next Steps.....	112
6.3 Implementation Schedule	113

REFERENCES

EXHIBITS (SEE NEXT PAGE)

APPENDICES

Appendix A – 2003 Work Program Description and Summary of Findings
Includes Update (2003 – 2005)

Appendix B – Summer 2004 Investigation, Washington Department of Ecology

Appendix C – Boring Logs and Cross Sections

Appendix D – Response to Ecology Comments on the Feasibility Study Technical
Memorandum

Appendix E – Cost Estimate Descriptions

TABLE OF CONTENTS (continued)**EXHIBITS**

- ES-1 Site Map
- ES-2 Site Remedies
- ES-3 Alternatives FS Screening Process
- ES-4 Comparative Analysis Of Additional Site Remedy Alternatives

- 1.1-1 Agreed Order Compliance Checklist

- 2.2-1 Site Location, Layout and Existing Closure Systems

- 2.3-1 Conceptual Site Geology
- 2.3-2 Conceptual Site Hydrogeology
- 2.3-3 Historical Sampling Locations
- 2.3-4 Ph and Total Arsenic Results

- 3.2-1 Applicable or Relevant And Appropriate Requirements

- 4.1-1 Alternative #1 – Permeable Treatment Wall (PTW) Evaluation
- 4.1-2 Alternative #2 – Pump And Treat (P&T) Evaluation
- 4.1-3 Alternative #3 – Additional Source Control (ASC) Evaluation
- 4.1-4 Alternative #4 – Partial Source Removal (PSR) Evaluation
 - Scenario 1: Groundwater Treatment for Five Years
- 4.1-5 Alternative #4 – Partial Source Removal (PSR) Evaluation
 - Scenario 2: Indefinite Groundwater Treatment Period
- 4.1-6 Alternative #5 – Evaluation Funnel and Gate Treatment (FGT)
- 4.1-7 Alternative #6 – Partial Additional Source Control (PASC)
- 4.1-8 Comparison of Estimated Alternative Costs

- 4.3-1 Alternative #1 – Permeable Treatment Wall (PTW) Layout
- 4.3-2 Permeable Treatment Wall (PTW) Cost Estimate

- 4.4-1 Alternative #2 - Groundwater Control (GWC) Layout
- 4.4-2 Groundwater Control (GWC) Cost Estimate

- 4.5-1 Alternative #3 - Additional Source Control (ASC) Layout

TABLE OF CONTENTS (continued)

- 4.5-2 Additional Source Control (ASC) Cost Estimate
- 4.6-1 Alternative #4 – Partial Source Removal (PSR) Layout
- 4.6-2 Partial Source Removal (PSR) Cost Estimate
- 4.7-1 Alternative #5 - Funnel and Gate Treatment (FGT) Layout
- 4.7-2 Funnel and Gate Treatment (FGT) Cost Estimate
- 4.8-1 Alternative #6 - Partial Additional Source Control (PASC) Layout
- 4.8-2 Partial Additional Source Control (PASC) Cost Estimate
- 6.3-1 Schedule Milestones: PASC Design, Procurement, And Installation